

Ref: INS/F-5900/2017-2018(Y)

Date : 11/12/2017

**ENQUIRY**

Dear Sirs,

Please let us have your lowest Quote/Proforma Invoice indicating cost including packing ,insurance,estimated airfreight charges,handling charges,etc.CIF/CIP upto inStem Stores for the following materials.

Sl.No	Cat.No	Item Description	Make/Model	Item Qty	UOM
1		Non refrigerated stack-able shaaker (Specifications Attached)	any	1.00	No.

**Remarks: The Tenders can also to be quoted in foreign currencies- USD/Euro/JPY/GBP/SGD/CAD or any other currencies approved/traded by RBI.**

Please also indicate specifically the following :\*\*inStem is a public funded research institute and is entitled to concessional rate of GST @ 5% for items supplied for research purpose. The offer should be submitted after fully considering the above notification. \*\*

1. The bids / quotation addressed to "**THE HEAD-PURCHASE**" with Tender / Enquiry Ref No and Item Description should reach us before submission Date and Time. The bids / quotation are liable to be rejected , if not addressed to "**THE HEAD-PURCHASE**".
  2. **EXIM CODE -8 digit customs tariff Number -HSN (Harmonised System Nomenclature)**
  3. Country of origion
  4. Place of Shipment
  5. Name, address,telephone number and fax numbers of your bankers.
  6. Your Account number and swift number with the bank(required for payment purposes if the order materialises on your firm).
  7. **Please Indicate frieght and insurance charges seperately.**
  8. Please Indicate the Warranty Period and Delivery Period.
  9. Kindly expedite sending your Quote/Proforma Invoice/Invoice by courier so as to reach us latest by **28/12/2017 till 5.30 p.m.**
- Important Note
10. Shipping by AIRFREIGHT ONLY-CARGO MODE
  11. Port of Entry for Customs clearance is -BANGALORE
  12. Please use International Freights which arrive directly into Bangalore.Ex.Lufthansa Airlines Cargo,Singapore Airlines Cargo.





Ref: INS/F-5900/2017-2018(Y)

Date : 11/12/2017

13.NO SHIPMENT SHOULD BE MADE THROUGH COURIER COMPANIES LIKE FEDEX,TNT, UPS,DHL ETC.SHIPMENTS SENT THROUGH FEDEX,TNT,UPS,DHL,ETC.WILL NOT BE ACCEPTED BY NCBS.

14.inStem is exempted in paying customs duty(except advolerum duty of 5% + 2% cess and 4% CVD on CIF value) PLEASE NOTE THAT PAYMENT WILL BE MADE THROUGH SIGHT DRAFT THROUGH BANK(CASH AGAINST DOCUMENTS).DOCUMENTS WILL BE RELEASED FROM THE BANK IMMEDIATELY ON RECEIPT OF THE INTIMATION.BANK CHARGES INSIDE INDIA SHALL BE TO NCBS ACCOUNT AND OUTSIDE INDIA SHALL BE TO YOUR ACCOUNT.ALSO DO NOT INCLUDE CHARGES TOWARDS CUSTOMS DUTY IN YOUR PRICES SINCE NCBS WILL BEAR THIS EXPENDITURE.

Yours faithfully

For and on behalf of Insitute For Stem Cell  
Biology and Regenerative Medicine

A handwritten signature in black ink, appearing to read 'Yesu R'.

Yesu R

GKVK, Bellary Road, Bangalore-560065,INDIA

Phone No. : 91-80-23666343/344/345/346

Fax : 91-80-23636662

Email Id: purchase@ncbs.res.in

Website : www.ncbs.res.in



**Ref No: INS/F-5900/2017-2018(Y)**

**Specifications for Non refrigerated stackable shaker incubator**

1. Triple eccentric counter balanced drive with 9 permanently lubricated ball bearings, solid state brushless DC motor
2. Stackable
3. Temperature range : Ambient +5o C to 80o C, increments of 0.1°
4. Accuracy :  $\pm 0.1$ o C at 37o C with a uniformity of  $\pm 0.25$ o C
5. Shaking Range: 25 to 300 rpm with 2" (5.1 cm) orbit with  $\pm 1$  rpm shaking control
6. Timer: 0.1 to 99.9 hours, continuous operation
7. Capacity: upto 5 litre flasks
8. Ambient Conditions: Temperature 10o C to 35o C,
9. humidity 20% - 80% non condensing.
10. Platform size: 76cm x 46cm
11. Multifunction reservoir with built in drain
12. Interior chamber light
13. Double-pane, thermal, insulating glass and heavy-duty leak-free door gasket
14. Slide out platform, Glide up front door
15. Low watt-density, resistance-type heaters with high temperature safety thermostat cut off
16. Program modes: constant speed and temperature, timed shaking, programmable multi-steps and RS-232 control
17. Multistep programming with 4 programs and 15 steps per program
18. Audible and visual alarms
19. Safety Features: out of balance sensor, acceleration and deceleration circuit, open door/lid cut out switch, thermostat fail safe and non volatile memory, for automatic restart after power interrupt and set
20. Certificate: Meets CSA, UL & CE standards
21. Power: 800 VA
22. Dimensions (W x D x H) : 135 x 87 x 73.5 cm
23. Weight: 237 Kgs
24. With clamps

