



Ref: INS/F-5914/2017-2018(Y)

Date : 11/12/2017

**ENQUIRY**

Dear Sirs,

Please let us have your lowest Quote/Proforma Invoice indicating cost including packing ,insurance,estimated airfreight charges,handling charges,etc.CIF/CIP upto inStem Stores for the following materials.

Sl.No	Cat.No	Item Description	Make/Model	Item Qty	UOM
1		B2 Biological safety cabinets (Specifications Attached)	any	1.00	No.

**Remarks:The Tenders can also be quoted in foreign currencies- USD/Euro/JPY/GBP/SGD/CAD or any other currencies approved/traded by RBI.**

Please also indicate specifically the following :\*\*inStem is a public funded research institute and is entitled to concessional rate of GST @ 5% for items supplied for research purpose. The offer should be submitted after fully considering the above notification. \*\*

1. The bids / quotation addressed to "**THE HEAD-PURCHASE**" with Tender / Enquiry Ref No and Item Description should reach us before submission Date and Time. The bids / quotation are liable to be rejected , if not addressed to "**THE HEAD-PURCHASE**".

2. **EXIM CODE -8 digit customs tariff Number -HSN (Harmonised System Nomenclature)**

3. Country of origin

4. Place of Shipment

5. Name, address,telephone number and fax numbers of your bankers.

6.Your Account number and swift number with the bank(required for payment purposes if the order materialises on your firm).

7.**Please Indicate freight and insurance charges seperately.**

8.Please Indicate the Warranty Period and Delivery Period.

9.Kindly expedite sending your Quote/Proforma Invoice/Invoice by courier so as to reach us latest by **28/12/2017 till 5.30 p.m.**

**Important Note**

10.Shipping by AIRFREIGHT ONLY-CARGO MODE

11.Port of Entry for Customs clearance is -BANGALORE

12.Please use International Freights which arrive directly into Bangalore.Ex.Lufthansa Airlines Cargo,Singapore Airlines Cargo.



**Institute For Stem Cell Biology and Regenerative Medicine**  
Autonomous institute of the Department of Biotechnology, Government Of India



Ref: INS/F-5914/2017-2018(Y)

Date : 11/12/2017

13.NO SHIPMENT SHOULD BE MADE THROUGH COURIER COMPANIES LIKE FEDEX,TNT, UPS,DHL ETC.SHIPMENTS SENT THROUGH FEDEX,TNT,UPS,DHL,ETC.WILL NOT BE ACCEPTED BY NCBS.

14.inStem is exempted in paying customs duty(except advolerum duty of 5% + 2% cess and 4% CVD on CIF value) PLEASE NOTE THAT PAYMENT WILL BE MADE THROUGH SIGHT DRAFT THROUGH BANK(CASH AGAINST DOCUMENTS).DOCUMENTS WILL BE RELEASED FROM THE BANK IMMEDIATELY ON RECEIPT OF THE INTIMATION.BANK CHARGES INSIDE INDIA SHALL BE TO NCBS ACCOUNT AND OUTSIDE INDIA SHALL BE TO YOUR ACCOUNT.ALSO DO NOT INCLUDE CHARGES TOWARDS CUSTOMS DUTY IN YOUR PRICES SINCE NCBS WILL BEAR THIS EXPENDITURE.

Yours faithfully

For and on behalf of Insitute For Stem Cell  
Biology and Regenerative Medicine

A handwritten signature in black ink, appearing to be 'PSU R'.

GKVK, Bellary Road, Bangalore-560065,INDIA

Phone No. : 91-80-23666343/344/345/346

Fax : 91-80-23636662

Email Id: purchase@ncbs.res.in

Website : www.ncbs.res.in



**Ref No: INS/E-5914/2017-2018(Y)**

**Specifications for Type B2 biological safety cabinet**

Provide the highest level of product and user protection during work with gases and volatile chemicals.

They should work with no more than minute quantities of volatile toxic gases and tracer amounts of radionuclides as adjuncts to microbiological studies.

No Air Recirculation - Contaminated air from the external environment is "totally exhausted," eliminating the risk of sample or user exposure to harmful chemicals

Enhanced User Protection - Auto compensation allows the safe use of optional inflow air prefilters

Contamination Control - Timed UV light option reduces risk of sample contamination and lowers bulb replacement costs

Operator Comfort - 10° sloped window for ergonomic posture reduces strain and fatigue associated with long working hours

Safe Operation - Convenient display shows when the cabinet is operating safely and when it may require service

Certifications: NSF/ANSI\* 49, ETL, ETL, CE

**Specifications:**

Type: B2

Filter Efficiency: 99.99% at 0.3µm

Filter Type: HEPA

Sash Opening: 8 in. (20.3cm); 21.75 in. (55.2cm) max.

Outlets: 2 duplex

Access Ports: 2 on each side

Interior; D x W x H: 65.8 x 123.2 x 653-742cm

Work surface Area: 854 in.2 (0.55m2)

Exhaust Volume: 1130m3/h

Noise Level: 65dBA

Power Consumption: 0.28kW

Volts: 230V

Net Weight: 247kg

