Institute For Stem Cell Biology and Regenerative Medicine

Autonomous institute of the Department of Biotechnology, Government Of India



Ref:

INS/F-6009/2017-2018(Y)

Date: 03/01/2018

ENQUIRY

Dear Sirs,

Please let us have your lowest Quote/Proforma Invoice indicating cost including packing ,insurance,estimated airfreight charges,handling charges,etc.CIF/CIP upto inStem Stores for the following materials.

Sl.No	Cat.No	Item Description	Make/Model	Item Qty	UOM
1		-20C freezers (Specifications Attached)	any	4.00	No.

Remarks: The Tenders to be quoted in foreign currencies & any other currencies approved/traded by RBI - USD/Euro/JPY/GBP/SGD/CAD/INR.

Please also indicate specifically the following :**inStem is a public funded research institute and is entitled to concessional rate of GST @ 5% for items supplied for research purpose. The offer should be submitted after fully considering the above notification. **

- 1. The bids / quotation addressed to "**THE HEAD-PURCHASE**" with Tender / Enquiry Ref No and Item Description should reach us before submission Date and Time. The bids / quotation are liable to be rejected, if not addressed to "**THE HEAD-PURCHASE**".
- 2. EXIM CODE -8 digit customs tariff Number -HSN (Harmonised System Nomenclature)
- 3. Country of origion
- 4. Place of Shipment
- 5. Name, address, telephone number and fax numbers of your bankers.
- Your Account number and swift number with the bank(required for payment purposes if the order materialises on your firm).
 - 7. Please Indicate frieght and insurance charges seperately.
 - 8. Please Indicate the Warranty Period and Delivery Period.

Kindly expedite sending your Quote/Proforma Invoice/Invoice by courier so as to reach us latest by 17/01/2018 till 5.30 p.m.

Important Note

- 10. Shipping by AIRFREIGHT ONLY-CARGO MODE
- 11. Port of Entry for Customs clearance is -BANGALORE
- 2.Please use International Freights which arrive directly into Bangalore.Ex.Lufthansa Airlines Cargo, Singapore Airlines Cargo.



Institute For Stem Cell Biology and Regenerative Medicine

Autonomous institute of the Department of Biotechnology, Government Of India



Ref:

INS/F-6009/2017-2018(Y)

Date: 03/01/2018

13.NO SHIPMENT SHOULD BE MADE THROUGH COURIER COMPANIES LIKE FEDEX, TNT, UPS, DHL ETC. SHIPMENTS SENT THROUGH FEDEX, TNT, UPS, DHL, ETC. WILL NOT BE ACCEPTED BY NCBS.

14.inStem is exempted in paying customs duty(except advolerum duty of 5% + 2% cess and 4% CVD on CIF value) PLEASE NOTE THAT PAYMENT WILL BE MADE THROUGH SIGHT DRAFT THROUGH BANK(CASH AGAINST DOCUMENTS).DOCUMENTS WILL BE RELEASED FROM THE BANK IMMEDIATELY ON RECEIPT OF THE INTIMATION.BANK CHARGES INSIDE INDIA SHALL BE TO NCBS ACCOUNT AND OUTSIDE INDIA SHALL BE TO YOUR ACCOUNT.ALSO DO NOT INCLUDE CHARGES TOWARDS CUSTOMS DUTY IN YOUR PRICES SINCE NCBS WILL BEAR THIS EXPENDITURE.

Yours faithfully

For and on behalf of Insitute For Stem Cell Biology and Regenerative Medicine



GKVK, Bellary Road, Bangalore-560065,INDIA

Phone No.:

91-80-23666343/344/345/346

Email Id:

purchase@ncbs.res.in

Fax:

91-80-23636662

Website:

www.ncbs.res.in





Ref No: INS/F-6009/2017-2018(Y)

Specifications for -20oC to -30°C

Temperature range: -20oC to -30°C

Should have a cooling coils strategically spaced in the walls, not only along both sides and the back of the chamber, but also on the top and the bottom of the chamber to ensure

maximum cooling performance

Maximum cooling performance: -30°C (Ambient Temperature: 35°C)

Effective capacity: 24.4 cu ft (690L)

Temperature control: Microprocessor control

Alarm and safety: High /low temperature alarm, power failure, Door ajar alarm remote

alarm contacts (DC 30V, 2A), Memory back up

Digital display of temperature

Direct cooling system High freezing power

Exterior dimension (W x D x H) : 30.3"x32.7"x77.0" Interior dimension (W x D x H) : 25.6"x27.5"x59"

Net weight(approx):150kg Exterior : painted steel Interior : painted steel

Insulation: HCFC-free rigid polyurethane foamed in place

Compressor: Hermetic rotary type (400 W)

Refrigerant: HFC

Shelves: 4 adjustable wire shelves, 50 kg capacity each Access ports: Diameter 30 mm (left)/ Diameter 20 mm(top) Temperature range:-18oc to -30oc (Ambient temperature:35 oc

Casters :4 casters with 2 adjustable feet

Accessories: 1 key set, 1 set scraper, 2 large & 2 large small nylon clips

Quality management system: ISO9001

Medical Device Management System:ISO13485 Environmental Management System:ISO14001

CE Certified, Warranty 3 years

