Institute For Stem Cell Biology and Regenerative Medicine

Autonomous institute of the Department of Biotechnology, Government Of India



Ref:

INS/F-6032/2017-2018(Y)

Date: 24/01/2018

ENQUIRY

Dear Sirs,

Please let us have your lowest Quote/Proforma Invoice indicating cost including packing ,insurance,estimated airfreight charges,handling charges,etc.CIF/CIP upto inStem Stores for the following materials.

SI.No	Cat.No	Item Description	Make/Model	Item Qty	UOM
1		Biosafety cabinet(Specifications attached)	Any	1.00	No.

Remarks: The Tenders can also to be quoted in foreign currencies- USD/Euro/JPY/GBP/SGD/CAD or any other currencies approved/traded by RBI.

NOTE: **inStem is a public funded research institute and is entitled to concessional rate of GST @ 5% for items supplied for research purpose. The offer should be submitted after fully considering the above notification.**

Please also indicate specifically the following:

- 1. The bids / quotation addressed to "THE HEAD-PURCHASE" with Tender / Enquiry Ref No and Item Description should reach us before submission Date and Time. The bids / quotation are liable to be rejected, if not addressed to "THE HEAD-PURCHASE".
- 2. EXIM CODE -8 digit customs tariff Number -HSN (Harmonised System Nomenclature)
- 3. Country of origion
- 4. Place of Shipment
- 5. Name, address, telephone number and fax numbers of your bankers.
- 6. Your Account number and swift number with the bank(required for payment purposes if the order materialises on your firm).
 - 7. Please Indicate frieght and insurance charges seperately.
 - 8. Please Indicate the Warranty Period and Delivery Period.
- 9.Kindly expedite sending your Quote/Proforma Invoice/Invoice by courier so as to reach us latest by **08/02/2018 till 5.30pm**

Important Note

- 10. Shipping by AIRFREIGHT ONLY-CARGO MODE
- 11. Port of Entry for Customs clearance is -BANGALORE
- 12.Please use International Freights which arrive directly into Bangalore.Ex.Lufthansa Airlines Cargo, Singapore Airlines Cargo.



Institute For Stem Cell Biology and Regenerative Medicine

Autonomous institute of the Department of Biotechnology, Government Of India



Ref:

INS/F-6032/2017-2018(Y)

Date: 24/01/2018

13.NO SHIPMENT SHOULD BE MADE THROUGH COURIER COMPANIES LIKE FEDEX, TNT, UPS, DHL ETC. SHIPMENTS SENT THROUGH FEDEX, TNT, UPS, DHL, ETC. WILL NOT BE ACCEPTED BY NCBS.

.4.inStem is exempted in paying customs duty(except advolerum duty of 5% + 2% cess and 4% CVD on CIF value) PLEASE NOTE THAT PAYMENT WILL BE MADE THROUGH SIGHT DRAFT THROUGH BANK(CASH-AGAINST DOCUMENTS).DOCUMENTS WILL BE RELEASED FROM THE BANK IMMEDIATELY ON RECEIPT OF THE INTIMATION.BANK CHARGES INSIDE INDIA SHALL BE TO NCBS ACCOUNT AND OUTSIDE INDIA SHALL BE TO YOUR ACCOUNT.ALSO DO NOT INCLUDE CHARGES TOWARDS CUSTOMS DUTY IN YOUR PRICES SINCE NCBS WILL BEAR THIS EXPENDITURE.

Yours faithfully

For and on behalf of Insitute For Stem Cell Biology and Regenerative Medicine

Yesu R

GKVK, Bellary Road, Bangalore-560065,INDIA

Phone No.:

91-80-23666343/344/345/346

Email Id:

purchase@ncbs.res.in

Fax:

91-80-23636662

Website:

www.ncbs.res.in



INSTITUTE FOR STEM CELL BIOLOGY AND REGENERATIVE MEDICINE

Ref No: INS/F-6032/2017-2018(Y)

Specification for Bio-safety cabinet.

- 1. Type Class II, A2 Biological safety cabinet package
- 2. The dimension (width) should be 4 feet, one piece of stainless steel interior, 8-inch work aperture
- 3. We are looking for a cabinet that has improved energy efficiency, safety performance and reliability
- 4. Increased comfort and to encourage safe working habits, with sloped front, low noise and bright workspace
- 5. Should meet safety standard of NSF/ANSI of 49
- 6. Real time air flow adjustments should be possible to ensure inflow and down flow velocities to remain steady
- 7. Maximum opening height of front window should be 21"
- 8. It should have a filter of H14HEPA EN 1822
- 9. Two small ports (76 mm, 3") one on each side of the wall
- 10. Should have provision for gas and vacuum valve
- 11. Should have a sound pressure level of less than 65 dB
- 12. Two standard receptacles, located on rear walls on both sides
- 13. The system should come with a warranty of 3 years.

