Institute For Stem Cell Biology and Regenerative Medicine Autonomous institute of the Department of Biotechnology, Government Of India



Date: 04/10/2019 Ref: INS/L-5519/2019-2020(E)

ENQUIRY

Dear Sirs.

Please let us have your lowest Quotation for the following:

SI.No	Cat.No	Item Description	Make/Model	Item Qty	UOM
1	- Cuttino	Gel Documentation System (Specification Attached)		1.00	No.

Remarks: TWO PART TENDER- The Technical and Financial / Price Bids shall be submitted simultaneously in two (2) cover (sealed) system. The proposals shall be evaluated in two stages: (1) Technical and (2) Price / Financial. Technical evaluation will be carried out and those Vendors who score minimum 75% will qualify for Price Bid opening. Thereafter, Financial Proposal shall be evaluated. The Commercially LOWEST BIDDER shall be the first preferred Vendor for award of Order.

1	The	hide	chall	he	enclosed	in	an	envelope	,	and	due	date	sealed	duly	marked	"Tender	for
				"R	ef No:							. Th	e bids s	noula	be addres	ssed and t	io ve
<u></u>	iled to	. "TH	E HE	AD-1	PURCHA	SE"	. Th	e bids are	liat	ole to	be rej	ected	if the sea	aled er	ivelope is	not addre	ssed
+-	"TEE	. ישונו י	AD_DE	DCI	HASE" W	ith 7	Cend	er Ref No	and	d Iten	n Desc	criptic	n and d	ue dat	e. The bio	is delivere	ea m
ne:	reon s	hall h	e dron	ned i	in Purchas	se S	ectio	on. If the b	ids	are	sent tl	rougl	n courie	r or m	ail , it sh	ould reac	h by
gul	nmissi	ion Da	ite and	Time	e and inSt	em v	vill ı	not be respo	ons	ible f	or the	delay					

2. DUE DATE FOR SUBMISSION OF QUOTATION AGAINST THIS ENQUIRY IS 18/10/2019 till 02:30pm

- 3. QUOTATIONS RECEIVED AFTER THE DUE DATE SHALL BE REJECTED.
- 4. The Validity of your quotation should be for 60 days from the date.
- 5. All duties, taxes, surcharge and cess as currently applicable must be sated in your quotation, seperately. Otherwise your quote is liable to be rejected.
- 6. Your quotation should indicate delivery period & Warranty period.
- 7. Delivery to be made to our Stores. Please indicate charges, if any extra. Transit Insurance should be done upto inStem Stores.
- 8. If you are unable to supply the quality, specifications or brand as mentioned in our enquiry, Please state so and then offer alternative to quality/Specifications.
- 9.Payment :within one month after delivery & acceptance/satisfactory installation.
- 10. Please ensure that the enquiry number and the due date is superscribed on the envelope failing which your quotation is liable to be rejected.
- 11. Since we are a public funded research institution, we are exempted from paying Customs Duty(Except advolerum duty of 5% + 2% cess and CVD @4% vide Notification No.51/96 with latest amendments) and excise duty vide Notification No.10/97 CENTRAL EXCISE dated 01-03-1997 for all scientific equipments, technical instruments, equipments (including computers), their accessories, spares, consumables and software. Hence, please offer your prices taking this option into consideration.
- 11a. The Price quoted against this RFQ should be extended to Bangalore Life Science Cluster (BLiSc)of NCBS, Instem and C-CAMP for placing repeat order as per norms, by any one or all institutes of Bangalore Life Science Cluster (BLiSc)**inStem is a public funded research institute and is entitled to concessional rate of GST @ 5% for items supplied for research purpose. The offer should be submitted after fully considering the above notification. **The Tenders to be quoted in foreign currencies & any other currencies approved/traded by RBI -USD/Euro/JPY/GBP/SGD/CAD/INR.

Institute For Stem Cell Biology and Regenerative Medicine Autonomous institute of the Department of Biotechnology, Government Of India



Ref: INS/L-5519/2019-2020(E)

Date: 04/10/2019

12.If the item is covered under DGS&D rate contract, please quote the rate as per the DGS&D rate contract with xerox copy of the DGS&D order.

13. Any dispute or differences that may arise between the parties shall be referred to the sole arbitration of the Centre Director or his nominees. The decision of the arbitrator shall be final and binding on the parties. The venue for arbitration shall be Bangalore. The provisions of the Arbitration and Concillation Act, 1996 as amended from time to time shall apply. The Courts in Bangalore shall have exclusive jurisdiction to deal with any or all disputes between the parties.

Yours faithfully

For and on behalf of Insitute For Stem Cell Biology and Regenerative Medicine

Eson Antony Paul

GKVK, Bellary Road, Bangalore-560065,INDIA

91-80-23666343/344/345/346 Phone No.:

purchase@ncbs.res.in Email Id:

91-80-23636662 Fax ·

Website: www.ncbs.res.in





2 PART TENDER FOR Gel Documentation System Technical Specifications - quantity 1 Nos.

Tender Reference INS/L-5519/2019-2020(E)

SPECIFICATIONS FOR IMPORTED Gel Documentation System
Camera:
Camera: 16-bit scientific-grade ideal for quantification
Gray Levels: 65,536 shades
Resolution: 3 megapixel true native resolution – 6-megapixel extended image
resolution
High-speed USB 3 technology for faster image capture and passsive cooling system for noice reduction
Lens Aperture: f/1.2 lens, fully automated system: lens, focus, zoom, lighting through computer.
Illuminations: Trans UV: UV 312nm Image area 21 X 26 cm.
Epi-white: Uniform LED light trans-white illumination
Applications: Imported good quality system, which is ideal for image acquisition, visualization, quantification, documentation and publication. Infinite
Choice of DNA/RNA stained gels such as Ethidium Bromide, DNA/RNA assay, colonies
Gel & blot markers, Petri Dish, colonies, stains - Stain-free® enabled & other precast gels
And SYBR Green®-Safe®-Gold®, Gel Green®, Gel Red®, and SYPRO
Ruby®
<u>Dark Room:</u> Slide-out, built-in UV Transilluminator (large choice) with positioning clip
& protection screen
Full door aperture and darkroom access
Rust Free, covered with chemical-resistant Epoxy paint
Fully computer-controlled darkroom
UV security auto switch-off and over-heat automatic UV switch timer
Software: Software should be unlimited-users without restriction (Licence free)
"One-touch" fully-automated image acquisition process
Auto-exposure, manual-exposure and serial modes - 3D and 3D-live image
acquisition view
Image enhancement, annotation, illustration and comparison.
Branded computer for Image Capturing and Analysis.
Computer: Suitable Branded Computer to capture, save and analyse the images. Original Windows 10 should be pre-installed
Oliginal windows to should be pre-instanted





2 PART TENDER FOR Gel Documentation System Technical Specifications - quantity 1 Nos.

Tender Reference INS/L-5519/2019-2020(E)

Warranty:

Warranty of 3 years from the date of installation. Installation by a Bangalore based engineer, who is available to rectify any instrument related issues within 2 working days of the notice. Details and contact of this engineer has to be provided with the tender.

Terms and Conditions:

- 1. The Technical and Financial / Price Bids shall be submitted simultaneously in two (2) cover (sealed) system. The proposals shall be evaluated in two stages: (1) Technical and (2) Price / Financial. Technical evaluation will be carried out and those Vendors who score minimum 75% will qualify for Price Bid opening. Thereafter, Financial Proposal shall be evaluated. The Commercially LOWEST BIDDER shall be the first preferred Vendor for award of Order.
- 2. first sealed cover Cover I, and super scribed as "Techno-commercial Bid" and should contain Complete Technical details of the Instrument offered (Specifications, Technical Parameters, Advantages, etc.,)
- 3. The second sealed cover Cover II super scribed 'Price Bid' should contain only rates (should be duly signed with seal and filled with date wherever necessary)
- 4. THESE TWO COVERS SHALL BE AGAIN PUT INTO A SINGLE WAX SEALED COVER super scribed "Gel Documentation System -Qty 01 Nos." and should reach INSTEM on or before 18-10-2019 before 14:00 hrs". This should be addressed to the Purchase Officer, inStem, NCBS, GKVK Post, Bellary Road, Bangalore 65.
- 5. The tender to be quoted in foreign currencies & any other currencies approved/traded by RBI-USD/Euro/JPY/GBP/SGD/CAD/INR.
- 6. If the items as per specifications in our P.O. is not supplied (shipped) within the specified delivery schedule, then liquidated damages (not in terms of penalty) will be imposed automatically and shall be deducted from the bill at the rate of 0.5% per week subject to a maximum of 10% of the order value.





2 PART TENDER FOR Gel Documentation System Technical Specifications - quantity 1 Nos.

Tender Reference INS/L-5519/2019-2020(E)

INFORMATION TO TENDERERS

The Tender shall be evaluated under 2 (Two) Bid System

- a. Technical Bid
- b. Financial Bid

SPECIFICATIONS FOR IMPORTED Gel Documentation System	Score					
Camera:						
Camera: 16-bit scientific-grade ideal for quantification						
Gray Levels: 65,536 shades						
Resolution: 3 megapixel true native resolution – 6-megapixel extended imag resolution	22					
High-speed USB 3 technology for faster image capture and passsive cooling system for noice reduction	1					
Lens Aperture: f/1.2 lens, fully automated system: lens, focus, zoom, lighting through computer.						
Illuminations:						
Trans UV: UV 312nm Image area 21 X 26 cm.						
Epi-white: Uniform LED light trans-white illumination						
Applications:						
Imported good quality system, which is ideal for image acquisition, visualization, quantification, documentation and publication. Infinite						
Choice of DNA/RNA stained gels such as Ethidium Bromide, DNA/RNA						
assay, colonies						
Gel & blot markers, Petri Dish, colonies, stains - Stain-free® enabled & other precast gels						
And SYBR Green®-Safe®-Gold®, Gel Green®, Gel Red®, and SYPRO						
Ruby®						
Dark Room:						
Slide-out, built-in UV Transilluminator (large choice) with positioning clip & protection screen						
Full door aperture and darkroom access	18					
Rust Free, covered with chemical-resistant Epoxy paint						
Fully computer-controlled darkroom						
UV security auto switch-off and over-heat automatic UV switch timer						
Software:						
Software should be unlimited-users without restriction (Licence free)						
"One-touch" fully-automated image acquisition process						





2 PART TENDER FOR Gel Documentation System Technical Specifications - quantity 1 Nos.

Tender Reference INS/L-5519/2019-2020(E)

Auto-exposure, manual-exposure and serial modes - 3D and 3D-live image acquisition view	
Image enhancement, annotation, illustration and comparison.]
Branded computer for Image Capturing and Analysis.	
<u>Computer:</u> Suitable Branded Computer to capture, save and analyse the images. Original Windows 10 should be pre-installed	
Warranty:	
Warranty of 3 years from the date of installation. Installation by a Bangalore based engineer, who is available to rectify any instrument related issues within 2 working days of the notice. Details and contact of this engineer has to be provided with the tender.	15
Total	100

Evaluation will be carried out and those Vendors who score minimum 75% will qualify for Price Bid opening, will qualify for Price Bid opening. Thereafter, Financial proposal shall be evaluated. The Commercially LOWEST BIDDER shall be the first preferred Vendor for award of Order.

