



**Institute for Stem Cell Biology and
Regenerative Medicine**

(An autonomous Institute of the Department of Biotechnology,
Government of India)
NCBS Campus, GKVK, Post, Bellary, Road, Bangalore 560 006
Phone: 080-2366634,344. Fax: 080-2363662

CORRIGENDUM-I- EXTENSION OF TENDER

Tender Notice No.001/2017-2018

Sl. No.	Ref No.	Item Description	Extended till
1	INS/F-5616/ 2016-2017 (N)	NETWORKING FOR INSTEM (WIRED & WIRELESS COMPONENTS)	74,30 hrs. Sale: 08/05/2017 Opening: 09/05/2017

The due date for Sale and Submission for the above tender has been extended. For further details please refer our Website: <http://www.instem.res.in/tenders>.The Tender details are also available in Central Public Procurement Portal <http://eprocure.gov.in/cppp>.



Addendum No: 1

Ref. 1) : Tender Notice No: 001/2017-2018, 2): INS/F-5616/2016-2017 (N)

The following Addendum is issued to our Tender, under Reference No: INS/F-5616/2016-2017 (N) to amend Sl.No. I.2, II, II.1, III.1, I, II, III, IV (page. No:12, 15, 15, 15, 10, 11) Technical Specifications of Wireless Equipment.

ANNEXURE A – Technical Specifications for Wired and Wireless Equipment- Networking for inStem				
			FOR	READ
Sl.No	Item	Page no	Description	Description
I.2	Controler	12	WLAN Controller hardware should have minimum 2 nos. of Gigabit Ethernet Ports (GBIC or SFP or RJ45) and console port with 10 G ports. Optional: Same as above with virtual machine appliance.	WLAN Controller hardware should have minimum 2 nos. of Gigabit Ethernet Ports (GBIC or SFP or RJ45), 1 number of console port and with minimum 1 number of 10 G ports. Optional: Same as above with virtual machine appliance. 1 U standard rack mounted hardware (Latest generation Xeon CPU with minimum 6 cores or better and memory not less then 16 GB) of reputed make/brand to be supplied with 10G port, to host the VM
II	Indoor Access Point	15	INDOOR Access Point (802.11 a/b/g/n)	INDOOR Access Point (802.11 b/g/n/ac)
II.1	Indoor Access Point	15	The Access Point should have minimum capability of 802.11 a/b/g/n with 1 POE (or POE+) Port 10/100/1000Mb; additional redundant ethernet port/ports, if any should be indicated.	The Access Point should have minimum capability of 802.11 b/g/n/ac with 2 POE (or POE+) Port 10/100/1000Mb.
III.1	Outdoor Access Point	15	This Access Point should have minimum capability of 802.11 b/g/n/ac with 1 POE (or POE+) Port 10/100/1000Mb; additional redundant ethernet port/ports, if any should be indicated. Being for outdoor deployment this AP should have the necessary weather proofing and wall/floor mounting apparatus with minimum IP65 rating.	This Access Point should have minimum capability of 802.11 b/g/n/ac with 2 POE (or POE+) Port 10/100/1000Mb. Being for outdoor deployment this AP should have the necessary weather proofing and wall/floor mounting apparatus with minimum IP67 rating.
I	Core Switch	10	Should support IP Unicast routing protocols and be upgradable to BGP/MPLS	"Should support IP Unicast routing protocols and be upgradable to BGP"
I	Core Switch	10	Should be upgradable to 40G and 100G for future scalability.	"Each physical port should be up-gradable to 40G for future scalability"
II,III, IV	Distrubution Switch	11	The switch should support minimum of 2 no's of 10Gbps SFP+ ports upgradable to 40 Gbps on need basis in the future with one port populated with 10 SFP + module	"The switch should support minimum of 2 no's of physical 10Gbps SFP+ ports upgradable to 40 Gbps on need basis in the future with 2 ports populated with 10 SFP+ module (Single Mode)"

All other terms and conditions of the Tender Documents remain unaltered. Please return the Addendum No: 1 dt.24/04/2017 with your signature, date & stamp and should be enclosed in the sealed cover.

The Addendum-1 is available in our Web site - <http://www.instem.res.in/information/tenders.html> and also available in Central Public Procurement Portal, <http://eprocure.gov.in/cppp>.

Thanking you,

For and on behalf of
Institute for Stem Cell Biology and Regenerative Medicine
Institute for Stem Cell Biology and Regenerative Medicine
GKVK Post, Bellary Road
Bangalore - 560 065
Purchase Officer

Copy to: 1) Mr. Prasanta Kumar Baruah (Indentor)
2) Accounts Officer

GKVK Post, Bellary Road, Bangalore 560 065. India
Phone +91-80-23666343 /344/345/346.
Telefax +91-80-23636662

purchase@ncbs.res.in . www.ncbs.res.in