Institute For Stem Cell Science and Regenerative Medicine

Autonomous institute of the Department of Biotechnology, Government Of India



Ref: INS/L-6078/2019-2020(Y)

Date: 09/05/2020

ENQUIRY

Dear Sirs.

Please let us have your lowest Quotation for the following:

SI.No	Cat.No	Item Description	Make/Model	Item Qty	UOM
1	`	Laptop (Specifications Attached)		1.00	No.

Remarks	•

	100	
N	ote	
T.A	ote	
-		-

1.	The	bids	shall	be	enclosed	in	an	envelope	,	and	due	date	sealed	duly	marked	"Tender	for
				_" R	ef No :							Th	e bids s	hould	be addres	sed and to	o be
ma	iled to	HT"	E HE	AD-	PURCHA	SE"	. Th	e bids are l	iab	le to	be rej	ected i	if the sea	aled er	velope is	not addre	ssed
to	"THE	E HEA	D-PU	RCI	HASE" wi	th T	end	er Ref No	and	d Iten	n Desc	criptio	n and d	ue date	e. The bid	s delivere	d in
pe	rson s	hall be	e drop	oed	in Purchas	e Se	ectio	n. If the b	ids	are s	sent th	rough	courie	or m	ail, it she	ould reach	h by
sul	omissi	on Da	te and	Tim	e and inSte	m v	vill r	not be respo	ons	ible f	or the	delay					

2. DUE DATE FOR SUBMISSION OF QUOTATION AGAINST THIS ENQUIRY IS 18/05/2020 till 12.30 P.M.

- 3. OUOTATIONS RECEIVED AFTER THE DUE DATE SHALL BE REJECTED.
- 4. The Validity of your quotation should be for 60 days from the date.
- 5.All duties,taxes,surcharge and cess as currently applicable must be sated in your quotation,seperately. Otherwise your quote is liable to be rejected.
- 6. Your quotation should indicate delivery period & Warranty period.
- 7.Delivery to be made to our Stores. Please indicate charges, if any extra. Transit Insurance should be done upto in Stores.
- 8.If you are unable to supply the quality, specifications or brand as mentioned in our enquiry, Please state so and then offer alternative to quality/Specifications.
- 9. Payment : within one month after delivery & acceptance/satisfactory installation.
- 10.Please ensure that the enquiry number and the due date is superscribed on the envelope failing which your quotation is liable to be rejected.
- 11. Since we are a public funded research institution, we are exempted from paying Customs Duty(Except advolerum duty of 5% + 2% cess and CVD @4% vide Notification No.51/96 with latest amendments) and excise duty vide Notification No.10/97 CENTRAL EXCISE dated 01-03-1997 for all scientific equipments, technical instruments, equipments (including computers), their accessories, spares, consumables and software. Hence, please offer your prices taking this option into consideration.

Institute For Stem Cell Science and Regenerative Medicine

Autonomous institute of the Department of Biotechnology, Government Of India



Ref: INS/L-6078/2019-2020(Y)

Date: 09/05/2020

12.If the item is covered under DGS&D rate contract, please quote the rate as per the DGS&D rate contract with xerox copy of the DGS&D order.

13. Any dispute or differences that may arise between the parties shall be referred to the sole arbitration of the Centre Director or his nominees. The decision of the arbitrator shall be final and binding on the parties. The venue for arbitration shall be Bangalore. The provisions of the Arbitration and Concillation Act, 1996 as amended from time to time shall apply. The Courts in Bangalore shall have exclusive jurisdiction to deal with any or all disputes between the parties.

Yours faithfully For and on behalf of Institute For Stem Cell Science and Regenerative Medicine

GKVK, Bellary Road, Bangalore-560065, INDIA

Phone No.:

Email Id:

91-80-23666343/344/345/346

purchase@ncbs.res.in

Fax: 91-80-23636662

Website: www.ncbs.res.in

The Price quoted against this RFQ should be extended to Bangalore Life Science Cluster (BLiSc)of NCBS, Instem and C-CAMP for placing repeat order as per norms, by any one or all institutes of Bangalore Life Science Cluster (BLiSc)

**inStem is a public funded research institute and is entitled to concessional rate of GST @ 5% for items supplied for research purpose. The offer should be submitted after fully considering the above notification. **

If the items as per specifications in our P.O. is not supplied (shipped) within the specified delivery schedule, then liquidated damages (not in terms of penalty) will be imposed automatically and shall be deducted from the bill at the rate of 0.5% per week subject to a maximum of 10% of the order value.

Original Equipment Manufacturer or Authorised Dealers should provide Authorized Distribution Certificate along with the Quotation





Institute for Stem Cell Biology and Regenerative Medicine

Specifications For L	артор					
Processor						
Processor	Intel					
Processor Generation	8 or higher					
Number of Cores per Processor	4					
Processor Base Frequency (GHz)	1.8					
Processor Number	Core i7 8550U					
Cache (MB)	8					
Motherboard						
Expansion Slots (M Dot 2)	1					
Graphics						
Graphics Type	Integrated					
Graphic Card Description	intel UHD 620					
Operating System						
Operating System	Windows 10 Home or Professional					
OS Certification	Windows					
Memory						
Type of RAM	DDR4					
RAM Size (GB)	16					
RAM Speed (MHz)	2400					
Total Numbers of DIMM Slots Available	2					
Number of DIMM Slots populated	1					
RAM Expandability up to (using spare DIMM	32					
Slots in GB)						
Storage	CCD (N. ME)					
Type of Drives used to populate the Internal Bays	SSD (NvME)					
Capacity of each SSD (GB)	1024					
Total SSD Capacity (GB)	1024					
Connectivity						
Wireless Connectivity	Yes					
If Yes, Type of Wireless Connectivity	Wi-Fi 802.11ac					
Number of Ethernet Ports	1					
Type of Ethernet Ports	10/100/1000 on board Integrated Gigabit Port					
Bluetooth Connectivity	Yes					
If Yes, Version of Bluetooth Available	4.1					
Ports						
Number of USB Version 3 point 0 / 3 point 1, Gen 1 Ports	2					
Number of USB Type C Ports	1					
Number of HDMI Ports	1					
Display						
Display Size (Inch)	15.6					
Display Type	Non Touch					
Display Technology	LED HD Backlit					
Panel Technology	IPS					
Display Resolution (Pixels)	1920×1080, FHD					
Availability of Webcam integrated with Display	Yes					
If Yes, Resolution of Webcam	FHD					
	Minimum 10 hours					
Battery back up	i Minimum Tu nours					

