

Ref: INS/L-6167/2018-2019(Y)

Date : 12/03/2019

ENQUIRY

Dear Sirs,

Please let us have your lowest Quotation for the following :

Sl.No	Cat.No	Item Description	Make/Model	Item Qty	UOM
1		Electrical Items as per list attached		1.00	No.

Remarks :

Note :

1. The bids shall be enclosed in an envelope , and due date sealed duly marked "Tender for _____ " Ref No : _____. The bids should be addressed and to be mailed to "THE HEAD-PURCHASE". The bids are liable to be rejected if the sealed envelope is not addressed to "THE HEAD-PURCHASE" with Tender Ref No and Item Description and due date. The bids delivered in person shall be dropped in Purchase Section. If the bids are sent through courier or mail , it should reach by submission Date and Time and inStem will not be responsible for the delay.

2. DUE DATE FOR SUBMISSION OF QUOTATION AGAINST THIS ENQUIRY IS

22/03/2019 till 2.00 p.m.

3. QUOTATIONS RECEIVED AFTER THE DUE DATE SHALL BE REJECTED.

4. The Validity of your quotation should be for 60 days from the date.

5. All duties, taxes, surcharge and cess as currently applicable must be stated in your quotation, separately. Otherwise your quote is liable to be rejected.

6. Your quotation should indicate delivery period & Warranty period.

7. Delivery to be made to our Stores. Please indicate charges, if any extra. Transit Insurance should be done upto inStem Stores.

8. If you are unable to supply the quality, specifications or brand as mentioned in our enquiry, Please state so and then offer alternative to quality/Specifications.

9. Payment : within one month after delivery & acceptance/satisfactory installation.

10. Please ensure that the enquiry number and the due date is superscribed on the envelope failing which your quotation is liable to be rejected.

11. Since we are a public funded research institution, we are exempted from paying Customs Duty (Except ad valorem duty of 5% + 2% cess and CVD @4% vide Notification No.51/96 with latest amendments) and excise duty vide Notification No.10/97 CENTRAL EXCISE dated 01-03-1997 for all scientific equipments, technical instruments, equipments (including computers), their accessories, spares, consumables and software. Hence, please offer your prices taking this option into consideration.

If the items as per specifications in our P.O. is not supplied (shipped) within the specified delivery schedule, then liquidated damages (not in terms of penalty) will be imposed automatically and shall be deducted from the bill at the rate of 0.5% per week subject to a maximum of 10% of the order value.



Ref: INS/L-6167/2018-2019(Y)

Date : 12/03/2019

12.If the item is covered under DGS&D rate contract,please quote the rate as per the DGS&D rate contract with xerox copy of the DGS&D order.

13.Any dispute or differences that may arise between the parties shall be referred to the sole arbitration of the Centre Director or his nominees.The decision of the arbitrator shall be final and binding on the parties.The venue for arbitration shall be Bangalore.The provisions of the Arbitration and Concillation Act,1996 as amended from time to time shall apply.The Courts in Bangalore shall have exclusive jurisdiction to deal with any or all disputes between the parties.

Yours faithfully

For and on behalf of Insitute For Stem Cell
Biology and Regenerative Medicine



Yesu R



GKVK, Bellary Road, Bangalore-560065,INDIA

Phone No. : 91-80-23666343/344/345/346

Fax : 91-80-23636662

Email Id: purchase@ncbs.res.in

Website : www.ncbs.res.in

Electrical items list for proposed alteration jobs at in-Stem Lab Kitchen and Maintenance Materials			
s/no	Description	Qty	units
1	Supply of following switches and accessories		
a	15Amp one way Clipin switches white color, Make: MK	40	nos
b	5/15Amp 5 pin Clipin sockets, white color, Make: MK	40	nos
c	5Amp one way Clipin switches, white color, Make: MK	100	nos
d	5Amp 5 pin Clipin sockets, white color, Make: MK	100	nos
e	100x50mm PVC cable management system, white color, Make: MK	40	mtr
f	3modular PVC front plate, wrap around, white color, Make: MK	100	nos
g	4modular PVC front plate, wrap around, white color, Make: MK	40	nos
h	3modular PVC slider box, white color, Make: MK	50	nos
i	5modular PVC slider box, white color, Make: MK	40	nos
j	6modular PVC front plate, wrap around, white color, Make: MK	20	nos
k	1 Way Dummy Plate, white color, Make: MK	30	nos
l	3modular surface box , white color, Make: MK	10	nos
m	4modular surface box , white color, Make: MK	10	nos
n	end cap for 100x50mm PVC cable management, , white color, Make: MK	15	nos
2	Supply of FRLSH. 1.1KV grade ISI marked single core PVC insulated multistranded copper conductor cable confirming to IS:694(with latest amendments) for the following sizes.		
a	1.5 sqmm (Red-1,Yellow-1,Blue-1,Black-2,Green-2), Make: Finolex	7	coil
b	2.5 sqmm (Red-3,Yellow-3,Blue-3, Black-9, Green-9), Make: Finolex	27	coil
3	Supply of 1.1.kV grade, 4-Core XLPE insulated and over all sheathed stranded Aluminium conductor, flat steel strip/wire armoured cable confirming to IS 7098 for following sizes. The cable shall bear the ISI certification mark.		
a	4Cx 16sqmm, Make:Finolex/Havells	85	mtr
b	4Cx25sqmm, Make:Finolex/Havells	70	mtr
c	4Cx50Sq.mm, Make: Finolex/Havells	190	mtr
4	Supply of following pvc pipes and casing cappings		
a	High quality 25mm grey pvc flexible corrugated(Hard) conduit , Make:ISI	50	mtr
b	High quality 50mm grey pvc flexible corrugated conduit(Hard) , thickness 1.2mm, Make:ISI	50	mtr
c	1" casing and capping, Make:Modi/ISI	50	mtr
d	1 1/2" casing and capping, Make:Modi/ISI	50	mtr
5	Supply of Miniature circuit breakers 9kA/10kA breaking capacity confirming to IS 8828 with latest amendments of following capacities		
a	16A Single Pole MCB, 440VAC, 50HZ, 'C' curve, Make:Legrand	50	nos
b	20A Single Pole MCB, 440VAC, 50HZ, 'C' curve, Make:Legrand	22	nos
c	63A Four Pole MCB, 440VAC, 50HZ, 'C' curve, Make:Legrand	2	nos
6	Supply of 415V, 50Hz AC supply Earth leakage circuit breaker (ELCB) Residual current device type with trip free mechanism. It should have terminal cover, test button and positive contact indication of the following leakage current tripping sensitivities and operating time less than 30 mSec. ELCB shall confirm to IS-12640 with latest amendments.		
a	40A DP, 300mA, Make:Legrand	6	nos
7	protected, rated for 440V, 3 phase, 50HZ AC supply operation inclusive of busbar suitable capacity, neutral link with required outgoing, DIN bar, fully factory fabricated and powder coated.		
a	20A , 3PH +N, Plug socket combine with metal enclosuer, Make:Neptune/Indoasian/Legrand	2	nos



8	Supply of following accessories		
a	Supply of 200mm cable tie, PVC	2	pk
b	Supply of 300mm cable tie, PVC	2	pk
c	Cable gland catalog PBC 7/8", Polycab , for 4Cx16sqmm Al Arm cable, Make:Polycab	4	nos
d	Cable gland catalog PBC 1 ", Polycab , for 4Cx25sqmm Arm cable, Make:Polycab	4	nos
e	Cable gland catalog PBC 1 1/4 ", Polycab , for 4Cx50sqmm Arm cable, Make:Polycab	10	Nos
f	PVC Insulation tape (Red- 10. Yellow-10, Blue-10, Black-10, Green-10,) Make:ACHEM	50	nos
9	Supply of following medium and heavy duty copper and Aluminium lugs		
a	Copper Reducer terminal - 1.5 sqmm, Make: Dowells/Polycab	500	nos
b	Copper Reducer terminal - 2.5 sqmm, Make: Dowells/Polycab	500	nos
c	Copper Reducer terminal - 4.0 sqmm, Make: Dowells/Polycab	500	nos
d	Aluminium tube terminal heavy duty type - 16.0 sqmm, Make: Dowells/Polycab	100	nos
e	Aluminium Reducer terminal heavy duty - 16.0 sqmm, Make: Dowells/Polycab	100	nos
f	Aluminium tube terminal heavy duty type - 25.0 sqmm, Make: Dowells/Polycab	100	nos
g	Aluminium Reducer terminal heavy duty - 25.0 sqmm, Make: Dowells/Polycab	100	nos
h	Aluminium Reducer terminal heavy duty - 50.0 sqmm, Make: Dowells/Polycab	100	nos
i	Aluminium tube terminal heavy duty type - 50.0 sqmm, Make: Dowells/Polycab	100	nos
1	CFL-PLC-2PIN-18W-6500K - PHILIPS	25	NOS
2	CFL-PLC-4PIN-18W-6500K - PHILIPS	25	NOS
3	CFL-PLL-4PIN-36W-6500K - PHILIPS	25	NOS
4	LED-PLL-4PIN-18W-6500K - PHILIPS	25	NOS
5	LED-ROUND-RECESS-6.5W-6500K-SMALL(391-D) - PHILIPS	30	NOS
6	LED-18W-T8-6500K-4FT-LAMP - PHILIPS	30	NOS
7	LED-DRIVER-25V-21W-800mA - PHILIPS	30	NOS
8	1X28 CHOKE-PHILIPS/WIPRO	50	NOS
9	2X28 CHOKE -PHILIPS/WIPRO	50	NOS
10	CFL-ROUND-TLSC-40W - PHILIPS	30	NOS
11	55W-220V-TSC-DRIVER - PHILIPS	20	NOS
12	3X36W CHOKE- PHILIPS	30	NOS
13	LED-27W-DRIVER-28-39V- PHILIPS	30	NOS
14	CFL-28W-3FT-LAMP-6500K- PHILIPS	30	NOS
15	9W-LED-B22- PHILIPS	30	NOS
16	32W-SQUARE-DRIVER-50V- PHILIPS	30	NOS
17	WIRE-1.5SQMM-RED (3 Nos),Blue(3Nos),Black (4nos) copper, multistrand, FRLSH FINOLEX/POLYCAB	10	COIL(90M)
18	WIRE-1.5SQMM-YELLOW, , copper, multistrand, FRLSH FINOLEX/POLYCAB	3	COIL(90M)
19	3 CORE 2.5 SQMM FLEXIBLE COPPER CABLE (double insulated) FINOLEX/POLYCAB	90	METER
20	3 CORE 4 SQ.MM FLEXIBLE COPPER CABLE (double insulated) FINOLEX/POLYCAB	90	METER
21	4 CORE 2.5 SQMM ARMoured COPPER CABLE (double insulated)FINOLEX/POLYCAB	300	METER
22	3 MODULE WRAP AROUND FRONT PLATE MK make	100	NOS
23	5 MODULE WRAP AROUND FRONT PLATE MK make	50	NOS
25	2.5 SQ MM PIN LUGS, CU Dowells	1000	NOS
26	6 SQ MM PIN LUGS, CU Dowells	500	NOS
27	2.5 RING LUGS Copper Dowells	500	NOS
28	4 RING LUGS, CU Dowells	500	NOS
29	6 RING LUGS, CU Dowells	500	NOS
30	15 A, 3 PIN PLUG TOP Achor make	25	NOS
32	5 A, 5PIN SOCKET - MK make	50	NOS
34	3 MODULE SURFACE BOX MK Make	25	NOS
35	5 MODULE SLIDER BOX Mk Make	25	NOS
37	8 MODULE SURFACE BOX MK make	25	NOS



39	CEILING FAN 1200 MM (WHITE COLOR) USHA/CROMPTON	20	NOS
40	LED ROUND SURFACE FITTING-J2-TYPE-DN170C PHILIPS	25	NOS
41	MCB-4POLE-D6 LEGRAND	20	NOS
42	MCB-4POLE-C63 LEGRAND	20	NOS
43	MCB-4POLE-D4 LEGRAND	10	NOS
44	MCB-4POLE-D10 LEGRAND	10	NOS
45	MCB-4POLE-C40 LEGRAND	20	NOS
46	MCB-3POLE-C20 LEGRAND	25	NOS
47	MCB-3POLE-C32 LEGRAND	20	NOS
48	MCB-3POLE-C10 LEGRAND	20	NOS
49	MCB-2POLE-C63 LEGRAND	20	NOS
50	MCB-2POLE-C40 LEGRAND	20	NOS
51	MCB-1POLE-D4 LEGRAND	10	NOS
52	MCB-IPOLE-C25 LEGRAND	10	NOS
53	MCB-IPOLE-C32 LEGRAND	10	NOS
54	MCB-ENCLOSURE-FOUR MODULE LEGRAND	40	NOS
55	MCB-ENCLOSURE-DUMMIES LEGRAND	50	NOS
56	ELCB-2POLE-63A-300ma LEGRAND	20	NOS
57	ELCB-2POLE-40A-100ma LEGRAND	20	NOS
58	ELCB-2POLE-25A-100ma LEGRAND	20	NOS
59	ELCB-4POLE-63A-300ma LEGRAND	20	NOS
60	ELCB-4POLE-40A-300ma LEGRAND	20	NOS
61	ELCB-4POLE-40A-100ma LEGRAND	20	NOS
62	ELCB-4POLE-25A-300ma LEGRAND	20	NOS
63	PVC Cable management 100X50 Make make	100	MTR
64	250mm Exhaust fan Havels	10	nos
66	3 Modular Slider Box Mk make	20	nos
68	Insulation taps with all colors	100	nos
69	Wire 2.5 Sqmm, copper, multistrand, FRLSH Finolex	10	COIL(90 MTR)
70	Wire 4Sqmm, copper, multistrand, FRLSH Finolex	10	COIL(90 MTR)
71	Wire 6 Sqmm,, copper, multistrand, FRLSH Finolex	3	COIL(90 MTR)
74	1 way Dummy Cap MK	100	nos
75	1' 11W PLS Tube Philips	20	nos
76	Ladder AL 1.33Mtr Bathal make	2	nos
77	Ladder AL 2.44Mtr Bathal Make	2	nos
78	5W Led Tack Light Passolite make	10	nos
79	6A Hanging Bed Swicth MK/Anchor	20	nos
80	12V 7AH Battery (SMF) Exide	20	nos
81	10.0 Sq Copper Ring Lugs	50	nos
82	LT, 3Pole Power contactor MO18, AC3 L&T make	3	nos
83	LT, 3Pole Power contactor MO45, AC3 L&T make	2	nos
84	LT, 3Pole Power contactor MNX22, AC3 L&T make	3	nos
85	Anxiliary contactor MXO 31E, 3NO+3NC, 240/415vac coil L&T make	3	noa
86	Cylirdrial HRC fuse type HF 25A L&T make	10	nos
87	Cylirdrial HRC fuse type HF 32A L&T make	10	nos
88	Cylirdrial HRC fuse type HF 63A L&T make	5	nos
89	Timer Digital TM-619-2 Frontier	10	nos
90	3Pole MCCB DU100H,80-100 thermal release L&T	5	nos

