

Ref: INS/F-5964/2018-2019(Y)

Date: 02-01-2019

ENQUIRY

Dear Sirs,

Please let us have your lowest Quote/Proforma Invoice indicating cost including packing, insurance, estimated airfreight charges, handling charges, etc. CIF/CIP up to inStem Stores for the following materials.

Sl. No		Item Description	Make/Model	Item Qty	UOM
1		Supply and installation of Nitrogen Dryer (Specification attached)		1.00	No.

Remarks: The Price quoted against this RFQ should be extended to Bangalore Life Science Cluster (BLiSc) of NCBS, InStem and C-CAMP for placing repeat order as per norms, by any one or all institutes of Bangalore Life Science Cluster (BLiSc)

Please also indicate specifically the following :

1. The bids / quotation addressed to "**THE HEAD-PURCHASE**" with Tender / Enquiry Ref No and Item Description should reach us before submission Date and Time. The bids / quotation are liable to be rejected, if not addressed to "**THE HEAD-PURCHASE**".
2. **EXIM CODE -8 digit customs tariff Number -HSN (Harmonised System Nomenclature)**
3. Country of origion
4. Place of Shipment
5. Name, address, telephone number and fax numbers of your bankers.
our Account number and swift number with the bank (required for payment purposes if the order materialises on your firm).
7. **Please Indicate freight and insurance charges seperately.**
8. **Please Indicate the Warranty Period and Delivery Period.**

ndly expedite sending your Quote/Proforma Invoice/Invoice by courier so as to reach us latest by
10/01/2019 till 5.30 p.m.

Important Note

10. Shipping by AIRFREIGHT ONLY-CARGO MODE

11. Port of Entry for Customs clearance is -BANGALORE

please use International Freights which arrive directly into Bangalore. Ex. Lufthansa Airlines Cargo, Singapore Airlines Cargo.

NOTE: **inStem is a public funded research institute and is entitled to concessional rate of GST @ 5% for items supplied for research purpose. The offer should be submitted after fully considering the above notification. **

The Tenders to be quoted in foreign currencies & any other currencies approved/traded by RBI - USD/Euro/JPY/GBP/SGD/CAD/INR.

If the items as per specifications in our P.O. is not supplied (shipped) within the specified delivery schedule, then liquidated damages (not in terms of penal-ty) will be imposed automatically and shall be deducted from the bill at the rate of 0.5% per week subject to a maximum of 10% of the order value.



Ref: **INS/F-5964/2018-2019(Y)**

Date: 02/01/2019

13.NO SHIPMENT SHOULD BE MADE THROUGH COURIER COMPANIES LIKE FEDEX, TNT, UPS, DHL ETC.SHIPMENTS SENT THROUGH FEDEX, TNT, UPS, DHL, ETC. WILL NOT BE ACCEPTED BY NCBS.

1Stem is exempted in paying customs duty (except advalorem duty of 5% + 2% cess and 4% CVD on CIF value) PLEASE NOTE THAT PAYMENT WILL BE MADE THROUGH SIGHT DRAFT THROUGH BANK (CASH AGAINST DOCUMENTS). DOCUMENTS WILL BE RELEASED FROM THE BANK IMMEDIATELY ON RECEIPT OF THE INTIMATION.BANK CHARGES INSIDE INDIA SHALL BE TO NCBS ACCOUNT AND OUTSIDE INDIA SHALL BE TO YOUR ACCOUNT.ALSO DO NOT INCLUDE CHARGES TOWARDS CUSTOMS DUTY IN YOUR PRICES SINCE NCBS WILL BEAR THIS EXPENDITURE.

Yours faithfully

For and on behalf of Institute for Stem Cell
Biology and Regenerative Medicine



Yesu R

GKVK, Bellary Road, Bangalore-560065,INDIA

Phone No. : 91-80-23666343/344/345/346

Fax : 91-80-23636662

Email Id: purchase@ncbs.res.in

Website : www.ncbs.res.in



Institute for Stem Cell Biology and Regenerative Medicine

Specifications for Nitrogen Dryer

1. System should be precision-machined gas manifold performs simultaneous or separate delivery of nonreactive pressurized gas to samples.
2. System should have triple block heating and stirring module.
3. System should have temperature from ambient to 200°C
4. The temperature accuracy should be $\pm 5^{\circ}\text{C}$
5. System should have stirrer with operating range 150 to 700 RPM.
6. System should have evaporating head with 27 ports for needles.
7. System should have evaporating head tilts back for easy needle attachment and removal.
8. System should have PTFE-coated needles for strong acid applications.
9. System should have Needle which has Luer-Lok hub for leak-proof attachment to Evaporators.
10. The needles of the system should be made up of Stainless steel 19 gauge, PTFE coated and blunt ended.
11. System should have inlet and outlet ports to connect the Nitrogen gas.
12. System should have Pressure relief safety valves.
13. System should have provision to adjust the height.
14. The system should operate at 230V, 50Hz.
15. System should be quoted with thermal aluminum blocks of vials and tubes as optional item.
16. The system should be CE/ISO certified.
17. The system should be supplied with all the adaptors for different required, accessories, to function.
18. The system should have warranty of 3 years.

